


5. A series of measurements were taken of the maximum kinetic energy of photoelectrons emitted from a metallic surface when light of various frequencies is incident on the surface.
- The table below lists the measurements that were taken. On the axes below, plot the kinetic energy versus light frequency for the five data points given. Draw on the graph the line that is your estimate of the best straight-line fit to the data points.
 - From this experiment, determine a value of Planck's constant h in units of electron volt-seconds. Briefly explain how you did this.


Light Frequency (10^{14} s^{-1})	Maximum Kinetic Energy (electron volts)
5.00	0.10
6.00	0.45
7.00	0.95
8.00	1.30
9.00	1.45



6. You have three metals – lithium, aluminum, and mercury. Their work functions are: 2.30 eV, 4.10 eV, and 4.5 eV respectively. Light with a frequency of $1.0 \times 10^{15} \text{ Hz}$ is incident on all three metals. Determine (a) which metals will emit electrons and (b) the maximum kinetic energy for those that exhibit the effect.

7. Radon-222 is formed by the alpha decay of radium. Write out the equation for this decay.

8. A beam of light reflects off of a fish that is under the surface of a lake. The ray is refracted at the surface and is seen by a person in a boat. The angle of refraction is 43.0° . Find: (a) The angle of incidence made by the ray, (b) the fish is 2.20 m below the surface, if the fish rises straight up, at what depth will it no longer be visible to the person in the boat?



9. 615 nm light is incident on a single slit that is 0.250 mm in width. The observing screen is 3.00 m away. Find (a) the position of the first dark fringe and (b) the width of the central bright fringe.

10. A 235 g mass is attached to a spring ($k = 145 \text{ N/m}$) and displaced 15.0 cm. The mass is released and allowed to oscillate on a frictionless surface, what is the (a) period of the motion, (b) frequency of the motion, (c) the amplitude of the motion, and (d) the max PE of the thing?
11. What is the fundamental frequency and wavelength that resonates in a tube that is closed at one end which has a length of 2.35 m?
12. A diffraction grating has exactly 5 000 lines per centimeter. Helium laser light of wavelength 633 nm is incident on the grating. (a) What is the angle for the first order maxima? (b) If the grating is 1.25 m from a screen, what is the distance from central maxima to the first order maxima?